

TECHNICAL DATA SHEET



Product code: 8377 **Sector:** Automotive (Passenger & LCV)

Issue No: 3

Issue Date: 17/01/23

XF Premium ATF MV-EXTRA

Automatic transmission fluid for use in automatic gearboxes & power steering systems.

Application

A premium OEM automatic transmission fluid with the widest specification coverage. Developed for multi vehicle applications. This product can also be used in certain power steering systems.

Abarth, Alfa Romeo, Acura, BMW, Brabus, Chrysler, Dodge, Fiat, Ford, Honda, Hyundai, Infiniti, Isuzu, Jaguar, Jeep, Kia, Lancia, Land Rover, Lexus, Maserati, Mazda, Mercedes-Benz, Mini, Mitsubishi, Mopar, Nissan, Opel, PSA Inc. Peugeot, Citroen, DS, Saab, Ssangyong, Subaru, Suzuki, Tesla, Toyota, Vauxhall, Volvo, VW Group Inc. VW, Audi, Seat, Skoda, Porsche, Bentley, Lamborghini

See full specifications below.

Typical Characteristics

Density @ 15°C, g/ml	0.847
Kinematic Viscosity @ 100°C, cSt	6.5
Flash Point, °C	>210
Colour	Red

Features & Benefits

- XF Premium ATF provides enhanced low temperature flow when cold starting, instantly protecting the vital components of the gearbox from the very start of every journey.
- XF Premium gearbox oil maximises viscosity stability at high temperatures. This reduces gearbox wear giving superior component protection.
- Delivers outstanding lubrication and instant protection under hot and cold temperatures.
- XF Premium ATF oil is specifically formulated for use in electric and hybrid systems including self-charging hybrid electric vehicles (HEV) and plug in hybrid electric vehicles (PHEV).

Technical & Health and Safety

T: 01484 475060

E: technical@millersoils.co.uk

For H&S info or SDS, please visit our website
www.millersoils.co.uk

Footnotes: The colour of the oil is not an indicator of performance, the characteristics of the oil are linked to the claim set of the product. If the oil meets the required specification but does not match the colour of the genuine Original Equipment Manufacturer (OEM) oil, it is still suitable to be used and including when the vehicle is under warranty.



MADE IN BRITAIN

Millers Oils Ltd
Brighouse West Yorkshire HD6 3DP UK
Tel: +44(0) 1484 713201
www.millersoils.co.uk

TECHNICAL DATA SHEET



Product code: 8377 **Sector:** Automotive (Passenger & LCV) **Issue No:** 3 **Issue Date:** 17/01/23

Suitable For

Manufacturer	Specification/Part Number
Acura	ATF-Z1 (Except CVT)
Aston Martin	M-1375.4
Bentley	JNV 862 564D, (P/N PY112995PA)
BMW Group (Inc. Mini, Rolls Royce)	ZF Lifeguard 8, ZF Lifeguard 6, ZF Lifeguard 5 LA 2634 ATF 3+ (P/N 83 22 2 289 720), ATF 3 (P/N 83 22 2 305 397), ATF 2 M-1375.4, ETL-8072B, ETL-7045E, JWS 3309, LT 71141 (P/N 83 22 9 407 807), (P/N 83 22 9 407 765), (P/N 83 22 2 152 426), (P/N 83 22 0 402 413), (P/N 83 22 0 142 516), (P/N 83 22 0 024 359)
Chrysler/Dodge/Jeep	ATF 4+ (MS 9602), ATF 3+ (MS 7176E), ATF 2+, ATF+, AS 68 RC (T-IV), (NAG 1 Transmission)
Fiat (Inc. Abarth, Alfa Romeo, Ferrari, Lancia, Maserati (pre-2021))	Fiat 9.55550-AG2, 9.55550-AG1, 9.55550-AV5, 9.55550-AV4, 9.55550-AV2, 9.55550-AV1, Maserati 231603
Ford	Mercon LV (XT-10-QLVC), Mercon SP (XT-6-QSP), Mercon (XT-2-QDX/XT-2QSM), WSS-M2C202B, WSS-M2C195A, WSS-M2C166H, WSS-M2C138CJ, WSS-M2C938A, WSS-M2C924A, WSS-M2C922A1
General Motors (Inc. Buick, Cadillac, Chevrolet, GMC, Opel, Saturn, Vauxhall (pre-2017))	GM Dexron VI, Dexron IIIH, Dexron IIIG, Dexron IIIE, Dexron IIE, Dexron IID, Dexron IID, Dexron B, Type A Suffix A (TASA), 93160393, 88863401, 88863400, 9986195
Hyundai/Kia	NWS-9638, JWS 3314, Red 1K, SP-IV-RR, SP-IV M, SP-IV, SP-III, SP-II
Honda	ATF DW-1, ATF Z1 (Except CVT)
Isuzu Besco	ATF SP, ATF III, ATF II, SCS Fluid
Jaguar/Land Rover	M-1375.4, M-115, LT 71141, JLM 20 238, Fluid 8432, (P/N LR023289), (P/N LR023288), (P/N TYK5000050)
Mazda	(FS5A-EL Transmission), ATF 3317, ATF S-1, ATF N-1, ATF F-1, ATF FZ, ATF M-V (Type M5), ATF M-III, ATF D-II
Mercedes-Benz	MB 236.41 (Hybrid), MB 236.15 (<2010), MB 236.14, MB 236.12, MB 236.11, MB 236.10 (3403 M-115), MB 236.8, MB 236.7, MB 236.6, MB 236.5, MB 236.2, MB 236.1
Mitsubishi	Dia-Queen SK, Dia-Queen SP-IV, Dia-Queen SP-III, Dia-Queen SP-II, Dia-Queen ATF J3, Dia-Queen ATF J2, Dia-Queen ATF PA
Nissan/Infiniti	Matic S, Matic K, Matic J, Matic D, Matic C
Porsche	ATF 3403 (M-115), T-IV (JWS 3309), (P/N 999.917.547.00), (P/N 000.043.304.00), (P/N 000.043.205.09), (P/N 000.043.205.28)
PSA (Inc. Peugeot, Citroen, DS)	9734.R7, 9980.D4

Footnotes: P/N – OEM Part Number



MADE IN BRITAIN

Millers Oils Ltd
Brighouse West Yorkshire HD6 3DP UK
Tel: +44(0) 1484 713201
www.millersoils.co.uk

TECHNICAL DATA SHEET



Product code: 8377 **Sector:** Automotive (Passenger & LCV) **Issue No:** 3 **Issue Date:** 17/01/23

Renault	Elfmatic J6
Saab	AW-1 (P/N 93 165 147), T-IV (JWS 3309)
Subaru	ATF 3317, ATF 3314, ATF HP, ATF, (P/N K0140Y0700)
Suzuki	ATF 3317, ATF 3314, JWS 3309, ATF 2384K, ATF 2326, ATF 5D06, ATF AW-1
Toyota/Lexus	ATF WS (Hybrid), ATF WS (JWS 3324), Type T-IV (JWS 3309), ATF Type T-III, ATF Type T-II, ATF Type T, ATF D-III, ATF D-II
Volvo	97341, 97340, 97335, 97325, (P/N 31256774), (P/N 31256675), (P/N 1161640), (P/N 1161540), (P/N 1161621), (P/N 1161521)
VW Group (Inc. Audi, Seat, Skoda)	ZF Lifeguard 8 (P/N G 060 162), JWS 3309, (P/N G 055 540), (P/N G 055 025), (P/N G 055 005), (P/N G 052 990), (P/N G 052 162)
Gear Box Fluid	Specification/Part Number
Aisin Warner	JWS 3324, JWS 3317, JWS 3314, JWS 3309, AW-1
Jaso	Jaso 1A
Jatco	Dia-Queen ATF-J3 (JF613E 6 Speed Automatic)
ZF	Lifeguard 8 (M-1375.8, 9HP, 8HP), Lifeguard 6+ (M-1375.6), Lifeguard 6 (M-1375.4, 6HP), Lifeguard 5 (P/N S 671 090 170, 5HP-18L/19FL/24A/30), 4HP20 & 3 Speed, TE-ML 21L, TE-ML 11B, TE-ML 11A, TE-ML 09, TE-ML 05L, TE-ML 04D, TE-ML 03D, TE-ML 02F
-	M-1375.4

Footnotes: P/N – OEM Part Number



MADE IN BRITAIN

Millers Oils Ltd
Brighouse West Yorkshire HD6 3DP UK
Tel: +44(0) 1484 713201
www.millersoils.co.uk